

Table of Contents

Aerator

- **SGH**
- GH

Tillage

- Disc-O-Vine Speed disc
- **DTM** Speed disc
- Vitis single tool under vine tiller
- Vitis two tool under vine tiller

Soil Preparation

- **Decompactor Dondi**
- Subsoiler 800 series Dondi
- **Single Tine Ripper Minos**

Cover Crop Management

- Strimer weed wacker
- Roller crimper terminate cover crops
- OKO air seeder
- **BM Single Disc Seed Drill**
- Vinero seeder

Spreaders

- IOD & IODD multi spreader
- Viking belt spreader
- BAF deep fertilizer

Sprayer

TAS - mist blower

SGH Aervator

Category Aerator

Horse Power

25 - 40 HP

Machine Model

SGH Aervator

Aerators relieve soil compaction without damaging the grass you already have and prevent rain runoff on your paddocks



Proudly manufactured in Australia

The SGH series of Aervator are the compact version of a GH with no compromise in the heavy duty construction.

Standard Features Include

Heavy duty over spec steel frames made of Australian steel.

- Hot Dipped Galv Finish
- **√** Large Rotor Bearings
- Single Gang System
- Aeration Only Settings



Available Configurations

- Fixed frame only
- 1.2 to 2.0 meter working width
 see page *** for a list of options



Aerator

Horse Power

45 - 140 HP

Machine Model

GH Aervator

GH Aervator

Aerators relieve soil compaction without damaging the grass you already have and prevent rain runoff on your paddocks.



Proudly manufactured in Australia

The GH series of aervator are the workhorse of the Aervator Range.

Standard Features Include

Heavy duty over spec steel frames made of Australian steel.

- Hot Dipped Galv Finish
- **✓** Large Rotor Bearings
- Multi Gang System
- Aeration And Cultivation Settings



Available Configurations

- 3PL or trailing
- fixed or folding frame
- 2.0 to 12 meter working width see page *** for a list of options





Disc-o-vine

Soil Prep Category 80 - 120 HP **Horse Power** Disc-o-vine **Machine Model**

Multi disc system with coil spring action and patented fold up design for short turning on headlands

The Disc-O-Vigne is an independent disc stubble-breaker specially designed for vineyard tillage.

- 100×100 mm compact frame
- Agrisem maintenance free 3D security system
- Good penetration in hard conditions
- Hyd depth control







Soil Prep Category 60 - 90 HP **Horse Power**

DTM

Machine Model

DTM

Multidisc system with rubber torsion suspension with rear roller fold up for short turn on headlands



Working speed is generally 10 - 12 Km/h and adjustment of the cage roller can be made with hydraulic cylinder

- Folding roller on small models
- 510mm razor or scolloped discs
- **Greasable hubs**
- Hyd depth control





Vitis One or Two Tool

Category Soil Prep 90 - 120 HP **Horse Power Vitis One or Two Tool Machine Model**

Automatic Mechanical under vine weeder with a wide range of tools to manage a variety of soil tillage requirements



Under vine tillage makes it possible to reduce or eliminate the use of chemicals to control weeds.

- Two-beam chassis with high structural strength
- Compact geometries and optimal weights for use in espalier vineyards
- Rear or front application
- Quick tool change system

Category Soil Preparation

Horse Power 120 - 300 HP

Machine Model Decompactor - Dondi

Decompactor - Dondi

Lifts and shatters soil relieving compaction without mixing the layers of soil.



Proudly manufactured in Italy

suitable for tractors with power from, available with for a Intended for professional users who need to air the soil in depth. The with wavy discs performs, breaking up and compaction, bringing it to ideal, or near-ideal, conditions for sowing.

Standard Features Include

- Widths from 2.5 to 4 m
- Maximum working depth of 25 to 35 cm.
- Reduce compaction without altering the surface structure
- Ouble rear roller for final soil levelling
- High strength chassis

Main characteristics:

- Chassis with high structural resistance
- Tines arranged in line along two rows with opposite curvature for total aeration of the soil along the entire work front
- Curved-profile tines with mechanical safety device, wear protection and reversible ploughshare
- Rear double roller with wavy discs and mechanical adjustment, with triple-sealing bearing supports and 40 mm square axle

Subsoiler 800 Series - Dondi

Category Soil Preparation

Horse Power

190 - 400 HP

Machine Model

Subsoiler 800 Series

- Dondi

Is designed for shatter the soil down deep,

to mix soil and incorporate trash pant residue and often used



Proudly manufactured in Italy

Height from the ground of 115 cm for excellent management of crop residues, also at the maximum depth.

Intended for contractors or large farms that need to till the soil at a great depth.

Standard Features Include

- Available with widths from 2.5 to 4 m
- Maximum working depth of 70 cm
- Heavy duty, welded chassis
- **(√)** 3PL

Main characteristics:

- Completely welded chassis with high structural resistance
- Progressive inclination tines for better penetration, reduced traction stress and optimal soil mixing
- Tines installed with bolted safety device and wear protection
- Subsoiler customisation thanks to a wide range of accessories

Category **Soil Preparation**

Horse Power

90 - 120 HP

Single Tine **Ripper - Minos**



Breaks through hardpan layers, allowing better absorption of water by opening chanels in the soil. this moisture, moves down into the soil profile greatly reducing surface run-off and consequent erosion.

- ✓ low cost, deep penetration subsoiling
- Heavy construction
- √) 3PL



Strimmer - RCM

Weeder Category 65 - 95 HP **Horse Power** Strimmer - RCM **Machine Model**



The RCM Hydraulic Strimmer, Under vine weeder, is a highly effective machine. It can be applied to every slasher or mower model and eliminates unwanted grasses effectively.

- Adjustable sensitivity of vine sensor
- √ 3PL
- Articulating adjustable arm



Horse Power

65 - 95 HP

Crimp Roller

Machine Model

Crimp Roller

Terminate cover crops without the use of chemicals



The CropCrimper is designed to terminate cover crops without the need for herbicides. The CropCrimper leaves a mat of mulch that the cash crop is then planted directly through. Crimping leaves a mat (a layer of protective mulch) that aids in retention of moisture in the soil and returns valuable nutrients from the cover crop to the soil.

Standard Features Include

Heavy duty over spec steel frames made of Australian steel.

- Bolts onto a standard Aervator frame
- Made in Australia from Australian steel

OKO Air 5

Seeder Category Any 12v HP **Horse Power** OKO Air 5 **Machine Model**

12v pressure fans with seed roller metering device with 5 and 8 outlet with scatter plates



Multi-functional stainless steel seeding unit.

- Hoses and spreader plates (diameter 30mm)
- 12v electric turbine
- Electric seed roll motor and seed agitator
- Working width 1-4m

BM Single Disc Seed Drill

Seed Drill - Single disc Category

Horse Power 45 - 90 +

Machine Model BM Single Disc

Seed Drill

Economical multi pulpous seed drill for favorable soil conditions.



BM Seed drill is based on the world proven Connorshea disc drill with a long successful history.

- Multi pulpous 3PL and trailing system
- 12 24 run models
- Single disc runs on double bearings
- Row spacing 125mm

- Hydraulic lift with auto seeding disengage
- Walk way loading platform
- Seed and fertilizer boxes with easy calibration
- New Option Small seed, seed boxes



Seeder

Horse Power

Any 12v HP

Machine Model

Vinero Lehner

Vinero Lehner



Hose Spreader great for seeding Cash, grass seed or Cover crops and can spread fertiliser.

- Seeds of all types and granular fertiliser can be dispensed
- Width of 0.8 2.2 m
- Extreme precision and flexibility
- Can be installed on all vehicles with a 12 V supply





IOD & IODD

Spreaders Category

15 - 100 HP **Horse Power**

IOD & IODD Machine Model



A 3PL multi spreader perfect for chicken manure, compost, lime and gypsum.

Standard Features Include

- Stainless steel build
- Single or twin spinners
- **⋘** 3PL
- **HYD** shutter control

Available Configurations

- Single side conveyer
- Twin side conveyer
- √ 700 2000L capacity
- PTO or HYD models





Spreaders

Horse Power

65 -95 HP

Machine Model

Viking Trailed L

Viking Trailed L



Designed to be low to the ground to fit under vine. Designed to be low to the ground to fit under the vine, ease of loading and a lower center of gravity.

Standard Features Include



Stainless Steel mesh chain, hopper, spinner discs, vanes and prevent plate

In cab Spinner speed control

Available Configurations

1800 or 2700L capacity

HYD or ground drive

Twin side conveyors or spinners



BAF

Category **Spreaders**

Horse Power

65 - 95 HP

Machine Model

BAF

Deep fertilizer Primarily used to apply fertiliser into the subsoil in



The Agromaster BAF 160 vineyard fertiliser spreader with two fertilising tines that are mounted to the tractor via three point linkage. The space between tines is adjustable and the spreading mechanism can be closed on one side to allow spreading on a single tine.

Standard Features Include

Twin Rippers

Removable wear points

PTO

Ease calibration

Sprayer

Horse Power

75 - 95 HP

TAS 600L

Machine Model

TAS 600L

Air blast mister for vineyards and orchards with adjustable nozzles for even crop coverage



Mounted type 600 L mistblowers are used for multipurpose plant protection. Mistblowers powered by P.T.O. pump delivers the liquid under the pressure to nozzles on the spray fan. Propeller and pump driven by PTO. able to cover trees up to 10-15 meters height. ideal for orchards and vineyards.

- Capacity: 600L Tank made of Fiberglass/Polyethylene
- High Pressure Pump Membrane C96
- Working Width: 12-16m and up to 10 to 15m high.
- Tank Mixer
- Hand washing station
- 3PL
- Fully adjustable nozzles






Contact Us



(02) 8294 7433

Outside Australia Phone

+61 2 8776 3354









FarmTech.com.au